

10.4" Vehicle Mounted Computer

FM10

Product Features:

- Field replaceable front panel to reduce service cost and prevent productivity loss
- High Performance Intel ATOM platform (E3845 2M Cache, 1.91GHz)
- Support Windows Embedded 8.1 Industry Pro, Windows 7 Professional for Embedded system, or Windows Embedded Standard 7
- Magnesium Alloy Housing
- Anti scratch resistive touch (finger touch and stylus)
- SMA Connector for external antenna
- Fan-Less & Robust Design
- Wide range Operating Temperature



Product Specifications:

System Specification	Processor	Intel Quad-Core Atom E3845 Processors (1.91GHz)
	System Memory	4GB SODIMM DDR3L-1600 (up to 8GB)
	Storage	64GB M.2 MLC SSD (up to 256 GB)
	Operating System	Windows Embedded 8.1 Industry Pro Windows 7 Professional for Embedded system Windows Embedded Standard 7
Display Specification	Size / Technology	10.4" (4:3)
	Resolution	1024*768
	Viewing angle	-88~88(H) ; -88~88(V)
	Brightness	400 nits
	Touch	Anti scratch Resistive touch and support for finger touch and stylus
Wireless Communication	WLAN	802.11 a/b/g/n/ac
	Bluetooth	Bluetooth 4.0
	GPS	u-blox NEO-M8N (located at the vehicle dock)
	WWAN	Optional 4G (LTE,HSPA+,GSM/GPRS/EDGE,EV-DO Rev A, 1xRTT) Optional 3G (HSPA+,GSM/GPRS/EDGE)
Data Capture	Camera	2MP Camera at front side (only available on Windows 7/ 8.1)
Mechanical and Environment	Dimension (W x L x H)	Computer: 268 x 214 x 35 mm (10.6" x 8.42" x 1.37") Docking: 202 x 245 x 52 mm (7.9" x 9.6" x 2.04")
	Housing	Magnesium Alloy housing with fanless design
	Weight	Computer 1.7kg and Docking 1.6kg
	Operating Temperature	-30°C to 50°C (-22° to 122° F)
	Storage Temperature	-30°C to 60°C (-22° to 140°F)
	Humidity	5% to 95% RH, non-condensing
	IP Proof	IP65
	Shock	MIL-STD-810G Method 516.6 Procedure I
	Vibration	MIL-STD-810G Method 514.6 Procedure I
	Certifications	CE, FCC
I/O Connectors	Computer	1 x SIM Card Slot , 1 x SD Card Slot , 1 x USB 3.0, 1 x 12V DC in power input jack
	Dock	1 x COM 11, 1 x COM 12, 1 x USB 2.0, 1 x CANBUS / AUDIO, 1 x Giga LAN port supports PoE as a Power sourcing equipment (PSE) support 802.3at Type 2, 1 x Power Connector, SMA Connector for external antenna (WiFi, GPS, WWAN)
Power Management	Power Input	10V-60V with isolation power and ignition control
	UPS Battery	7.4V typ. 3800mAh Li-Polymer Battery (2S1P)

Renderings :



WINMATE

www.winmate.com.tw

Rugged Mobile Solution

Distributed by:

SCN
Sensor Control Nordic AB

www.scnordic.com

10.4" Vehicle Mounted Computer

FM10

Docking Features:

- Wide range power (10V~60V) & Ignition control
- Smart Docking Design
- Built in u-blox NEO-M8N GPS
- High power speaker (3W * 2)
- With LED Reading Light
- Release latch and Key Lock to secure the device
- Power switch, to give power to the device
- VESA 75, 100, and RAM Mount



FM10 – Accessories

Package Contents

Before using this Vehicle Mounted Computer, please make sure that all the items listed below are present in your package:

Computer - FM10	Dock + latch locking key	5 m Power Cable with fuse kit	0.3 m USB Cable	Stylus kit + Screw
98P010A000J7	98D000A00003	98K000A0005V	9484098080K0	98K000A0005T
Cable Clamp Kit	WiFi Antenna x 2	User Manual	Driver CD	
98K000A0005W	39700010000J	91521111100J	91711111101R	

Optional Accessories

3 m DC Jack Power Cable	1.2 m Power Adapter cable	4.2 m Adapter with power cable	1.8 m RS232 Cable	0.3 m Audio Cable
94J0086020K0	922D120W12V2	98K000A0005U	94G3094090K2	94E215R060K0
1.8 m CAN BUS Y Cable	2 m IP65 LAN Cable	4G/LTE antenna	2 dB WWAN antenna	Fuse Kit
94E2150090K0	94I0080080KF	39700030002H	391000M20200	94JL01L01000
Mounting Kit for keyboard	Device Mounting Kit	Spare Key for Vehicle Dock	Keyboard	UHF Fixed Reader
98K000A0005X	98K000A0005Y	9B000000007N	9B000000007R	9B000000007Z



Sensor Control Nordic AB



Stockholm HQ

Sensor Control Nordic AB
Truckvägen 16B
194 52 Upplands Väsby
Phone number: +46 8-668 21 00

Malmö

Sensor Control Nordic Syd
Rönneviksgatan 13
213 74 Malmö
Phone number: +46 40 -688 02 00

Umeå

Sensor Control Nordic Norr
Umestans Företagspark
903 47 Umeå
Phone number: +46 90-969 71

info@scn.se
www.scn.se



Helsinki

Sensor Control Nordic AB
Teknobulevardi 3-5
FI-01530 Vantaa, FINLAND
Phone number: +358 20
7348600

info@scnnordic.fi
www.scnnordic.fi

Tallinn

Sensor Control Nordic AB
Narva mnt 5
10117 Tallinn, ESTONIA
Phone number: +372
6514550

info@scn.ee
www.scn.ee

Connect with us on social media!

